VOLUME 65 · CONTENTS

No 1 JULY 1998

Page **Editorial**

1 Ischaemic damage of brain microvessels: inherent risks for thrombolytic treatment in stroke *G J del Zoppo, R von Kummer, G F Hamann*

Review: Neurology and medicine

10 Neurology of the vasculitides and connective tissue diseases *P M Moore, B Richardson*

Papers

23 Hypothesis on the pathogenesis of vacuolar myelopathy, dementia, and peripheral neuropathy in AIDS *S V Tan, R J Guiloff*

29 Prevalence of Alzheimer plaques in AIDS *M M Esiri, S C Biddolph, C S Morris*

34 Risk of HIV dementia and opportunistic brain disease in AIDS and zidovudine therapy *T Baldeweg, J Catalan, B G Gazzard*

42 Precision and reliability for measurement of change in MRI lesion volume in multiple sclerosis: a comparison of two computer assisted techniques *P D Molyneux, P S Tofts, A Fletcher, B Gunn, P Robinson, H Gallagher, I F Moseley, G J Barker, D H Miller*

48 Molecular approach to find target(s) for oligoclonal bands in multiple sclerosis *K H Rand, H Houck, N D Denslow, K M Heilman*

56 Underlying cause of death in Danish patients with multiple sclerosis: results from the Danish Multiple Sclerosis Registry *N Koch-Henriksen, H Brønnum-Hansen, E Stenager*

60 Dopamine transporter imaging with [^{123}I]-β-CIT demonstrates presynaptic nigrostriatal dopaminergic damage in Wilson's disease *B Jeon, J M Kim, J M Jeong, K M Kim, Y S Chang, D S Lee, M C Lee*

65 Clinical usefulness of magnetic resonance imaging in multiple system atrophy *A Schrag, D Kingsley, C Phatouros, C J Mathias, A J Lees, S E Daniel, N P Quinn*

72 Proton magnetic resonance spectroscopic imaging in the clinical evaluation of patients with Niemann-Pick type C disease *G Tedeschi, S Bonavita, N W Barton, A Bertolino, J A Frank, N J Patronas, J R Alger, R Schiffmann*

80 Responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in patients with incomplete spinal cord injury *N J Davey, H C Smith, E Wells, D W Maskill, G Savic, P H Ellaway, H L Frankel*

88 Intracranial chondrosarcoma: review of the literature and report of 15 cases *A G G C Korten, H J W ter Berg, G H Spincemaille, R T van der Laan, A M Van de Wel*

93 Neurobehavioural disturbances, rehabilitation outcome, and lesion site in patients after rupture and repair of anterior communicating artery aneurysm *S Böttger, M Prosiegel, H-J Steiger, A Yassouridis*

Short reports

103 The prevalence of apoE-ε4 in Alzheimer's disease is age dependent *G B Frisoni, M Manfredi, C Geroldi, G Binetti, O Zanetti, A Bianchetti, M Trabucchi*

107 Immunoglobulin therapy in inflammatory myopathies *F L Mastaglia, B A Phillips, P J Zilko*

111 Botulinum toxin treatment of synkinesia and hyperlacrimation after facial palsy *B Boroojerdi, A Ferbert, M Schwarz, H Herath, J Noth*

115 Shunt surgery in poor grade patients with tuberculous meningitis and hydrocephalus: effects of response to external ventricular drainage and other variables on long term outcome *J M Mathew, V Rajshekhar, M J Chandy*

119 Parkinsonism and dystonia in central pontine and extrapontine myelinolysis *A Seiser, S Schwarz, M M Aichinger-Steiner, G Funk, P Schnider, M Brainin*

122 Hyperekplexia and trismus due to brainstem encephalopathy *M W Kellett, P R D Humphrey, B M Tedman, M J Steiger*

126 Amnesia after a discrete basal forebrain lesion *K Abe, M Inokawa, A Kashiwagi, T Yanagihara*

Lesson of the month

131 Transient monocular visual loss due to uveitis-glaucoma-hyphaema (UGH) syndrome *C A Cates, D K Newman*

Letters

134 Reversible proximal myopathy in epilepsy related Cushing's syndrome *A G Herzog, A Sotrel, M Ronthal*

134 Serial magnetic resonance imaging shows separate medial and lateral medullary infarctions resulting in the hemimedullary syndrome *S Terao, M Izumi, S Takatsu, J Takagi, T Mitsuma, A Takeda, M Hirayama, G Sobue*

135 Oculo-auriculo-vertebral spectrum disorder (Goldenhar "syndrome") coexisting with schizophreniform disorder *P Brieger, S Bartel-Friedrich, A Haring, A Marneros*

136 Disabling stroke arising five months after internal carotid artery dissection *P J Martin, P R D Humphrey*

137 Severe weight loss after withdrawal of chronic pizotifen treatment *N I Jowett*

137 Successful treatment of intractable epilepsia partialis continua with multiple subpial transections *P Molyneux, R A Barker, M Thom, W van Paesschen, W F Harkness, J S Duncan*

Correspondence

138 Sjögren's syndrome in patients with chronic idiopathic axonal polyneuropathy *M Denišlič, D Meh*

139 Authors' reply

Book reviews

Neurological stamp

9 Ferdinand Jakob Heinrich von Müller (1825-96) *L F Haas*

Neurological pictures

71 A giant cauda equina ependymoma *W H J P Linssen, G A G Davies*

133 A syndrome of lower cranial nerve palsies *P A Barber, W Schady*

No 2 AUGUST 1998

Page **Editorial**

143 Cardiovascular factors in Alzheimer's disease *R Stewart*

Editorial commentaries

148 Cognitive function and pallidotomy *R B Scott*

149 Interictal focal activity in temporal lobe epilepsy *J S Duncan*

Papers

150 Cognitive functioning after pallidotomy for refractory Parkinson's disease *K Perrine, M Dogali, E Fazzini, D Sterio, E Kolodny, D Eidelberg, O Devinsky, A Beric*

155 Brain muscarinic receptors in progressive supranuclear palsy and Parkinson's disease: a positron emission tomographic study *M Asahina, T Suhara, H Shinotoh, O Inoue, K Suzuki, T Hattori*

164 Regional dopamine transporter gene expression in the substantia nigra from control and Parkinson's disease brains *T J Counihan, J B Penney Jr*

170 Interictal regional slow activity in temporal lobe epilepsy correlates with lateral temporal hypometabolism as imaged with ^{18}FDG PET: neurophysiological and metabolic implications *M Koutroumanidis, C D Binnie, R D C Elwes, C E Polkey, P Seed, G Alarcon, T Cox, S Barrington, P Marsden, M N Maisey, C P Panayiotopoulos*

177 Routine follow up after head injury: a second randomised controlled trial *D T Wade, N S King, F J Wenden, S Crawford, F E Caldwell*

184 Factors affecting the age of onset and rate of progression of Alzheimer's disease *J V Bowler, D G Munoz, H Merskey, V Hachinski*

191 Detection of Epstein-Barr virus and Kaposi's sarcoma-associated herpesvirus DNA in CSF from persons infected with HIV who had neurological disease *N S Brink, Y Sharvell, M R Howard, J D Fox, M J G Harrison, R F Miller*

196 Reversal of hypoaesthesia by nerve block, or placebo: a psychologically mediated sign in chronic pseudoneuropathic pain patients *R J Verdugo, J L Ochoa*

204 Humoral and cellular immune parameters before and during immunosuppressive therapy of a patient with stiff-man syndrome and insulin dependent diabetes mellitus *M Hummel, I Durinovic-Bello, E Bonifacio, V Lampasona, J Endl, S Fessele, F Then Bergh, C Trenkwalder, E Standl, A-G Ziegler*

209 Spinal epidural abscess: the importance of early diagnosis and treatment *A R Mackenzie, R B S Laing, C C Smith, G F Kaar, F W Smith*

213 Distribution of electrophysiological abnormality in Lambert-Eaton myasthenic syndrome *P Maddison, J Newsom-Davis, K R Mills*

218 Guillain-Barré syndrome variants in Emilia-Romagna, Italy, 1992–3: incidence, clinical features, and prognosis *Emilia-Romagna Study Group on Clinical and Epidemiological Problems in Neurology*

225 Sleep and neuromuscular disease: bilevel positive airway pressure by nasal mask as a treatment for sleep disordered breathing in patients with neuromuscular disease *C Guilleminault, P Philip, A Robinson*

233 Neuroradiological features of six kindreds with MELAS tRNA^{Leu} A3243G point mutation: implications for pathogenesis *C M Sue, D S Crimmins, Y S Soo, R Pamphlett, C M Presgrave, N Kotsimbos, M J B Jean-Francois, E Byrne, J G L Morris*

Short reports

241 Exercise induced steroid dependent dystonia, ataxia, and alternating hemiplegia associated with epilepsy *B G R Neville, F M C Besag, C D Marsden*

245 Carbon monoxide poisoning and treatment with hyperbaric oxygen in the subacute phase *V Coric, D A Oren, F A Wolkenberg, R E Kravitz*

248 Salbutamol treatment in a patient with hyperkalaemic periodic paralysis due to a mutation in the skeletal muscle sodium channel gene (SCN4A) *M G Hanna, J Stewart, A H V Schapira, N W Wood, J A Morgan-Hughes, N M F Murray*

251 A unique familial leukodystrophy with adult onset dementia and abnormal glycolipid storage: a new lysosomal disease? *D K Simon, M L Rodriguez, M P Frosch, E J Quackenbush, S K Feske, M R Natowicz*

255 Face-arm-trunk-leg sensory loss limited to the contralateral side in lateral medullary infarction: a new variant *Ph Vuadens, J Bogousslavsky*

258 Dropped head syndrome and bent spine syndrome: two separate clinical entities or different manifestations of axial myopathy? *W G H Oerlemans, M de Visser*

260 No relation between cephalic venous dilatation and pain in migraine *D Daugaard, L Lykke Thomsen, J Olesen*

263 Dopaminergic deficit in amyotrophic lateral sclerosis assessed with [I-123] IPT single photon emission computed tomography *G D Borasio, R Linke, J Schwarz, V Schlamp, A Abel, P D Mozley, K Tatsch*

266 Sodium fusidate in Guillain-Barré syndrome: a case report *F Nicoletti, A Nicoletti, S Giuffrida, R Di Marco, P L Meroni, K Bendtzen, M Lunetta*

269 Correlation of ventricular size and transcranial Doppler findings before and after ventricular peritoneal shunt in patients with hydrocephalus: prospective study of 35 patients *A Jindal, A K Mahapatra*

272 Focal hand dystonia in a patient with thoracic outlet syndrome *A Quartarone, P Girlanda, G Risitano, G Picciolo, S Sinicropi, C Nicolosi, V Macaione, C Messina*

275 Pictorial pseudohallucinations with an "aperture effect" in a patient with quadrantanopia *K Vogeley, G Curio*

Letters

278 A case of pandysautonomia with associated sensory ganglionopathy *K Kurokawa, K Noda, Y Mimori, C Watanabe, S Katayama, S Nakamura, K Sannomiya, S Yamamoto, E Tahara*

279 Premenstrual exacerbations of multiple sclerosis *A Zorgdrager, J de Keyser*

Correspondence

280 Autonomic effects of selegiline: possible cardiovascular toxicity in Parkinson's disease *(1) J Coyle, P Hobson, J Meara; (2) E Heinonen, V Myllylä;*

281 Reply by *A Churchyard, A Lees, C J Mathias*

282 Idiopathic generalised epilepsy in adults manifested by phantom absences, generalised tonic-clonic seizures, and frequent absence status *T P Bleck*

282 Reply by *C P Panayiotopoulos, M Koutroumanidis, S Giannakodimos, A Agathonikou*

282 **Book reviews**

Neurological pictures

208 Pontine inflammatory lesion due to shingles *D Kidd, J S Duncan, E J Thompson*

217 A "soap bubble" tumour in the brain: isolated cerebral immunocytoma *M J B Taphoorn, C A F Tulleken,*

G H Jansen, J M J Krul

Neurological stamp

268 Carlos Juan Finlay y Barres (1833-1915) *L F Haas*

No 3 SEPTEMBER 1998 Page **Editorial**

285 Treatment of postural hypotension *C J Mathias, J R Kimber*

Editorial commentary

290 Corticosteroids and multiple sclerosis *D H Miller*

Review: Neurology and medicine

291 Neurology and the gastrointestinal system *G D Perkin, I Murray-Lyon*

Papers

301 Evidence of CNS impairment in HIV infection: clinical, neuropsychological, EEG, and MRI/MRS study *M J G Harrison, S P Newman, M A Hall-Craggs, C J Fowler, R Miller, B E Kendall, M Paley, I Wilkinson, B Sweeney, S Lunn, S Carter, I Williams*

308 Dural arteriovenous fistulas as a cause of intracranial hypertension due to impairment of cranial venous outflow *C Cognard, A Casasco, M Toevi, E Houdart, J Chiras, J-J Merland*

317 Cerebral blood flow and metabolism in patients with silent brain infarction: occult misery perfusion in the cerebral cortex *H Nakane, S Ibayashi, K Fujii, S Sadoshima, K Irie, T Kitazono, M Fujishima*

322 Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E ε4 allele *K Juottonen, M Lehtovirta, S Helisalmi, P J Riekkinen Sr, H Soininen*

328 Motor switching abilities in Parkinson's disease and old age: temporal aspects *M Plotnik, T Flash, R Inzelberg, E Schechtman, A D Korczyn*

338 Highly abnormal thermotests in familial dysautonomia suggest increased cardiac autonomic risk *M J Hilz, E H Kolodny, I Neuner, B Stemper, F B Axelrod*

344 Dopaminergic stimulation in unilateral neglect *G Geminiani, G Bottini, R Sterzi*

348 Diagonal spatial neglect *V W Mark, K M Heilman*

353 Psychopathological and emotional deficits in myotonic dystrophy *C Bungener, R Jouvent, C Delaporte*

357 Single fibre electromyography in multifocal motor neuropathy with persistent conduction blocks *A Lagueny, G Le Masson, P Burbeaud, P Deliac*

Short reports

362 Use of corticosteroids in multiple sclerosis by consultant neurologists in the United Kingdom *H L Tremlett, D K Luscombe, C M Wiles*

366 Sensory alien hand syndrome: case report and review of the literature *H Ay, F S Buonanno, B H Price, D A Le, W J Koroshetz*

370 Ataxia induced by small amounts of alcohol *F Setta, J Jacquy, J Hildebrand, M-U Manto*

374 Functional organisation of saccades and antisaccades in the frontal lobe in humans: a study with echo planar functional magnetic resonance imaging *R M Müri, O Heid, A C Nirkko, C Ozdoba, J Felblinger, G Schroth, C W Hess*

378 The role of the α-synuclein gene mutation in patients with sporadic Parkinson's disease in the United Kingdom *T T Warner, A H V Schapira*

380 Upbeat nystagmus: clinicoanatomical correlation *J C Janssen, A J Larner, H Morris, A M Bronstein, S F Farmer*

382 Separate visual pathways for perception of actions and objects: evidence from a case of apperceptive agnosia *C T Ferreira, M Ceccaldi, B Giusiano, M Poncet*

386 Atrial fibrillation and cognitive function: case-control study *J E O'Connell, C S Gray, J M French, I H Robertson*

390 Association learning in the acute confusional state *R Ptak, K Gutbrod, A Schnider*

393 Neurotrophin-3 is increased in skin in human diabetic neuropathy *A J Kennedy, A Wellmer, P Facer, G Saldanha, P Kopelman, R M Lindsay, P Anand*

396 Fluid attenuation inversion recovery (FLAIR) images of dentatorubropallidoluysian atrophy: case report *F Yoshii, H Tomiyasu, Y Shinohara*

Letters

402 Carbohydrate antigen 19–9 in cerebrospinal fluid and within malignant cells in a case of leptomeningeal carcinomatosis *Y Sato, Y Ohta, M Kaji, K Oizumi, M Kaji*

403 Hereditary motor and sensory neuropathy type 1A associated with sensorineural deafness *J Stone, G Moran, T J Walls*

403 Chronic inflammatory demyelinating polyneuropathy accompanied by carcinoma *K Abe, F Sugai*

404 Frequency, causes, and consequences of burns in patients with epilepsy *L Kinton, J S Duncan*

405 A quartet of Down's syndrome, Alzheimer's disease, cerebral amyloid angiopathy, and cerebral haemorrhage: interacting genetic risk factors *M O McCarron, J A R Nicoll, D I Graham*

406 Chhabra hydrocephalus shunt: lessons for gravitational valves *Z Czosnyka, M Czosnyka, H K Richards, J D Pickard*

407 A case of chronic paroxysmal hemicrania responding to subcutaneous sumatriptan *J Pascual, J Quijano*

407 IgM anti-GM2 antibody in a patient with Guillain-Barré syndrome subsequent to cytomegalovirus hepatitis cross reacts with *N*-acetylgalactosaminyl GD1a *M Tsukaguchi, Y Tagawa, H Takeuchi, N Yuki*

408 Electrophysiological recordings in bilateral hemifacial spasm *A Schulze-Bonhage, A Ferbert*

Correspondence

410 Depression and its relation to lesion location after stroke *O M P Jolobe*; reply by *S Machale*

410 **Book reviews**

Proceedings

412 Proceedings of the 1998 winter meeting of the British Neuropsychiatry Association, the London Zoo, 16 January 1998 *M A Ron*

414 Proceedings of the Association of British Neurologists, Trinity and All Saints University College, Leeds, 15-17 April 1998

Neurological stamp

373 Jean Alfred Fournier (1832-1914) *L F Haas*

Neurological pictures

365 Thoracocervicofacial purpura as the single manifestation of epileptic seizure *P Rubegni, M Fimiani, M Rubegni, G De Aloe, L Andreassi*

400 Cerebellar swelling and massive brain stem distortion: spontaneous resolution documented by MRI *E F M Wijdicks, T P Maus, D G Piepgras*

No 4 OCTOBER 1998 Page

Editorial

427 Ion channels and neurological disease: DNA based diagnosis is now possible, and ion channels may be important in common paroxysmal disorders *M G Hanna, N W Wood, D M Kullmann*

Editorial commentaries

432 Schizophrenia neuropathology: tortoises and hares *P J Harrison*

433 Quality of life in multiple sclerosis *P M Rothwell*

434 Re-emergence of surgery for dystonia *J Jankovic*

435 Crime in Huntington's disease *H A Ring*

Review: Neurology and medicine

436 Dystonia and chorea in acquired systemic disorders *J L Janavs, M J Aminoff*

Papers

446 Reduced dendritic spine density on cerebral cortical pyramidal neurons in schizophrenia *L J Garey, W Y Ong, T S Patel, M Kanani, A Davis, A M Mortimer, T R E Barnes, S R Hirsch*

454 Cue dependent right hemineglect in schizophrenia: a kinematic analysis *M E Downing, J G Phillips, J L Bradshaw, K S Vaddadi, C Pantelis*

460 Quality of life in multiple sclerosis in France, Germany, and the United Kingdom *N Murphy, C Confavreux, J Haas, N König, E Roullet, M Sailer, M Swash, C Young, the Cost of Multiple Sclerosis Study Group, and Mérot J-L*

467 Crime in Huntington's disease: a study of registered offences among patients, relatives, and controls *P Jensen, K Fenger, T G Bolwig, S A Sørensen*

472 Outcome of selective ramisectomy for botulinum toxin resistant torticollis *B Ford, E D Louis, P Greene, S Fahn*

479 The effect of unilateral posteroventral pallidotomy on the kinematics of the reach to grasp movement *K M B Bennett, J D O'Sullivan, R F Peppard, P M McNeill, U Castiello*

488 Spinal corpora amylacea and motor neuron disease: a quantitative study *J B Cavanagh*

492 Myasthenia gravis: a population based epidemiological study in Cambridgeshire, England *N P Robertson, J Deans, D A S Compston*

497 Effects of transient and persistent cerebrospinal fluid drainage on sleep disordered breathing in patients with idiopathic adult hydrocephalus syndrome *B Kristensen, J Malm, T Rabben*

502 The hormonal response to stress is not modified by the dramatic decrease in prolactin plasma concentration during surgery for microprolactinoma *R Guieu, H Dufour, C Devaux, T Brue, J P Rosso, F Grisoli, M Grino, A Enjalbert, D Begoud, N Broder, H Rochat, P Jaquet*

508 Inherited prothrombotic states and ischaemic stroke in childhood *V Ganesan, M A McShane, R Liesner, J Cookson, I Hann, F J Kirkham*

512 MELAS: a new disease associated mitochondrial DNA mutation and evidence for further genetic heterogeneity *M G Hanna, I P Nelson, J A Morgan-Hughes, N W Wood*

518 Reduction in temporal N-acetylaspartate and creatine (or choline) ratio in temporal lobe epilepsy: does this ^{1}H-magnetic resonance spectroscopy finding mean poor seizure control? *J A Mendes-Ribeiro, R Soares, F Simões-Ribeiro, M L Guimarães*

523 Tinnitus after head injury: evidence from otoacoustic emissions *B J Ceranic, D K Prasher, E Raglan, L M Luxon*

530 Electrophysiological features of central motor conduction in spinocerebellar atrophy type 1, type 2, and Machado-Joseph disease *T Yokota, H Sasaki, K Iwabuchi, T Shiojiri, A Yoshino, A Otagiri, A Inaba, T Yuasa*

535 The diagnostic sensitivity of different F wave parameters *F Wéber*

541 Effects of exercise on cognitive and motor function in chronic fatigue syndrome and depression *S K Blackwood, S M MacHale, M J Power, G M Goodwin, S M Lawrie*

547 Significance of factors contributing to surgical complications and to late outcome after elective surgery of cerebral arteriovenous malformations *C Schaller, J Schramm, D Haun*

555 Autism and visual agnosia in a child with right occipital lobectomy *I Jambaqué, L Mottron, G Ponsot, C Chiron*

Short reports

561 Vasomotor reactivity is exhausted in transient ischaemic attacks with limb shaking *R W Baumgartner, I Baumgartner*

565 Spinocerebellar ataxia type 6 with positional vertigo and acetazolamide responsive episodic ataxia *J C Jen, Q Yue, J Karrim, S F Nelson, R W Baloh*

569 Familial cramp due to potassium-aggravated myotonia *R W Orrell, K Jurkat-Rott, F Lehmann-Horn, R J M Lane*

573 Association between intraoperative cerebral microembolic signals and postoperative neuropsychological deficit: comparison between patients with cardiac valve replacement and patients with coronary artery bypass grafting *S K Brækken, I Reinvang, D Russell, R Brucher, J L Svennevig*

577 Levodopa responsive parkinsonism in an adult with Huntington's disease *B A Racette, J S Perlmutter*

580 Verbal instructional sets to normalise the temporal and spatial gait variables in Parkinson's disease *A L Behrman, P Teitelbaum, J H Cauraugh*

583 Chronic cough in the Holmes-Adie syndrome: association in five cases with autonomic dysfunction *J Kimber, D Mitchell, C J Mathias*

587 Postictal psychosis as a risk factor for mood disorders after temporal lobe surgery *K Kanemoto, J Kawasaki, E Mori*

590 Transient amnesia after perimesencephalic haemorrhage: the role of enlarged temporal horns *J W Hop, E H Brilstra, G J E Rinkel*

594 The EAAT2 (GLT-1) gene in motor neuron disease: absence of mutations in amyotrophic lateral sclerosis

and a point mutation in patients with hereditary spastic paraplegia *T Meyer, C Münch, H Völkel, P Booms, A C Ludolph*

597 Cerebral Erdheim-Chester disease: report of two cases with progressive cerebellar syndrome with dentate abnormalities on magnetic resonance imaging *E Pautas, P Chérin, S Pelletier, M Vidailhet, S Herson*

600 Familial dementia lacking specific pathological features presenting with clinical features of corticobasal degeneration *J Brown, P L Lantos, M N Rossor*

Letters

604 Chronic inflammatory demyelinating polyneuropathy during treatment with interferon-α *M[a] E Marzo, M Tintoré, O Fabregues, X Montalbán, A Codina*

604 Posteroventral pallidotomy can ameliorate attacks of paroxysmal dystonia induced by exercise *K P Bhatia, C D Marsden, D G T Thomas*

605 Sudden appearence of invalidating dyskinesia-dystonia and off fluctuations after the introduction of levodopa in two dopaminomimetic drug naive patients with stage IV Parkinson's disease *M Onofrj, C Paci, A Thomas*

606 Reversible hydromyelia in a synchronised swimmer with recurrent thoracic girdle pains *T Fukutake, T Hattori*

606 Barium carbonate intoxication: an electrophysiological study *A Kakar, I Anand, P K Sethi*

607 Central pontine myelinolysis causes bilateral loss of deep sensitivity and pseudochoreoathetosis *J Federlein, T Postert, H Przuntek, T Müller*

609 Successful treatment of peripheral paraneoplastic neurological syndromes in small cell cancer *V Arbusow, R D Voltz, M Strupp, P Schulz*

610 A preliminary investigation of laterality in Parkinson's disease and susceptibility to psychosis *S S Shergill, Z Walker, C Le Katona*

611 Cerebral venous sinus thrombosis associated with 20210A mutation of the prothrombin gene *M W Kellett, P J Martin, T P Enevoldson, C Brammer, C M Toh*

612 Pseudo-Argyll Robertson pupil of patients with spinocerebellar ataxia type 1 (SCA1) *K Mabuchi, H Yoshikawa, M Takamori, H Yokoji, M Takahira*

613 "Non-neuroleptic malignant" syndrome *A J Larner, S C Smith, S F Farmer*

Correspondence

614 Corpora amylacea in hippocampal sclerosis *L Leel-ōssy*

614 Secondary hyperkalaemic paralysis *R F Gledhill*

614 Authors' reply

614 Traumatic distal femoral neuropathy *P L Silbert, R Moore, B Dawson, L Padua, P Tonali, R Padua*

614 Authors' reply

615 Book reviews

Neurological stamp

554 Ivan Mikhailovich Sechenov (1829-1905) *L F Haas*

Neurological pictures

511 Pneumatic drill through the foramen magnum *A W McEvoy, N D Mendoza*

564 Post-arteriography cholesterol embolism *C Prat, M Loko, J L Devoize*

568 A "scar" and epilepsy: coup de sabre *R F Duyff, J Vos*

No 5 NOVEMBER 1998 Page

Editorial commentaries

617 Is inherited thrombophilia a risk factor for arterial stroke? *M M Brown, D Bevan*

618 Stiff man syndrome, 40 years later *F Folli*

619 Neuro-otological and psychiatric abnormalities *T H Brandt*

Review: Neurology and medicine

620 Diabetes mellitus and the nervous system *P J Watkins, P K Thomas*

Papers

633 Review of 23 patients affected by the stiff man syndrome: clinical subdivision into stiff trunk (man) syndrome, stiff limb syndrome, and progressive encephalomyelitis with rigidity *R A Barker, T Revesz, M Thom, C D Marsden, P Brown*

641 Medial temporal lobe atrophy in stroke patients: relation to pre-existing dementia *H Hénon, F Pasquier, I Durieu, J P Pruvo, D Leys*

648 Control of epilepsy associated with cerebral arteriovenous malformations after radiosurgery *H Kurita, S Kawamoto, I Suzuki, T Sasaki, M Tago, A Terahara, T Kirino*

656 Regional changes in hippocampal T2 relaxation and volume: a quantitative magnetic resonance imaging study of hippocampal sclerosis *F G Woermann, G J Barker, K D Birnie, H J Meencke, J S Duncan*

665 Right hippocampal contribution to visual memory: a presurgical and postsurgical study in patients with temporal lobe epilepsy *U Gleißner, C Helmstaedter, C E Elger*

670 Vestibular hypersensitivity to clicks is characteristic of the Tullio phenomenon *J G Colebatch, B L Day, A M Bronstein, R A Davies, M A Gresty, L M Luxon, J C Rothwell*

679 Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation *L Yardley, J Burgneay, I Nazareth, L Luxon*

685 The effect of semantic and emotional context on written recall for verbal language in high functioning adults with autism spectrum disorder *D Q Beversdorf, J M Anderson, S E Manning, S L Anderson, R E Nordgren, G J Felopulos, S E Nadeau, K M Heilman, M L Bauman*

693 Urodynamic evaluation of patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p21-p24 *L Neerup Jensen, T Gerstenberg, E B Kallestrup, P Koefoed, J Nordling, J E Nielsen*

697 Decreased capacity for mental effort after single supratentorial lacunar infarct may affect performance in everyday life *M J E Van Zandvoort, L J Kappelle, A Algra, E H F De Haan*

703 Dystonia after striatopallidal and thalamic stroke: clinicoradiological correlations and pathophysiological mechanisms *P Krystkowiak, P Martinat, L Defebvre, J P Pruvo, D Leys, A Destée*

709 Subcutaneous apomorphine in late stage Parkinson's disease: a long term follow up *K Pietz, P Hagell, P Odin*

717 Neuropsychiatric features of corticobasal degeneration *I Litvan, J L Cummings, M Mega*
722 Peripherally induced oromandibular dystonia *C Sankhla, E C Lai, J Jankovic*
729 Absence of evidence for the effectiveness of five interventions routinely used in the intensive care management of severe head injury: a systematic review *I Roberts, G Schierhout, P Alderson*
734 Postural responses to changing task conditions in patients with cerebellar lesions *P Mummel, D Timmann, U W H Krause, D Boering, A F Thilmann, H C Diener, F B Horak*
743 Measuring vibration threshold with a graduated tuning fork in normal aging and in patients with polyneuropathy *I S J Martina, R van Koningsveld, P I M Schmitz, F G A van der Meché, P A van Doorn, for the European Inflammatory Neuropathy Cause and Treatment (INCAT) group*
748 The human motor cortex after incomplete spinal cord injury: an investigation using proton magnetic resonance spectroscopy *B K Puri, H C Smith, I J Cox, J Sargentoni, G Savic, D W Maskill, H L Frankel, P H Ellaway, N J Davey*
755 Motor evoked potentials in unilateral lingual paralysis after monohemispheric ischaemia *W Muellbacher, C Artner, B Mamoli*
762 Neuropathological alterations in diabetic truncal neuropathy: evaluation by skin biopsy *G Lauria, J C McArthur, P E Hauer, J W Griffin, D R Cornblath*

Short reports

767 Pallidal activity during dystonia: somatosensory reorganisation and changes with severity *F A Lenz, J I Suarez, L Verhagen Metman, S G Reich, B I Karp, M Hallett, L H Rowland, P M Dougherty*
771 Involvement of the human cerebellum during habituation of the acoustic startle response: A PET study *D Timmann, C Musso, F P Kolb, M Rijntjes, M Jüptner, S P Müller, H C Diener, C Weiller*
774 Olanzapine in the treatment of hallucinosis in idiopathic parkinson's disease: a cautionary note *J M Graham, J D Sussman, K S Ford, H J Sagar*
778 Desmopressin in the treatment of daytime urinary frequency in patients with multiple sclerosis *P A Hoverd, C J Fowler*
781 Genetic and environmental risk factors for Parkinson's disease in a Chinese population *D K Y Chan, J Woo, S C Ho, C P Pang, L K Law, P W Ng, W T Hung, T Kwok, E Hui, K Orr, M F Leung, R Kay*
785 Environmental differences in twin pairs discordant for Alzheimer's disease *I Räihä, J Kaprio, M Koskenvuo, T Rajala, L Sourander*
788 Adult polyglucosan body disease associated with an extrapyramidal syndrome *N P Robertson, S Wharton, J Anderson, N J Scolding*
791 Headache characteristics in subarachnoid haemorrhage and benign thunderclap headache *F H H Linn, G J E Rinkel, A Algra, J van Gijn*
794 Distribution of muscle weakness of central and peripheral origin *R D Thijs, N C Notermans, J H J Wokke, Y van der Graaf, J van Gijn*

Letters

797 Cerebellar ataxia due to lead encephalopathy in an adult *J Mani, N Chaudhary, M Kanjalkar, P U Shah*
798 "All tibial foot" with sensory crossover innervation between the tibial and deep peroneal nerves *M Yamashita, T Mezaki, T Yamamoto*
799 IgG Anti-GT1a antibodies which do not cross react with GQ1b ganglioside in a pharyngeal-cervical-brachial variant of Guillain-Barré syndrome *K Kashihara, Y Shiro, M Koga, N Yuki*
799 Dexamethasone is not necessarily unsafe in primary supratentorial intracerebral haemorrhage *P Desai, K Prasad*
801 Postpartum cerebral venous thrombosis, congenital protein C deficiency, and activated protein C resistance due to heterozygous factor V Leiden mutation *L Derex, F Philippeau, N Nighoghossian, P Trouillas, M Berruyer*
802 Intravenous immunoglobulin dependent inflammatory radiculopathy presenting as lumbar canal stenosis *C E M Hillier, J G Llewelyn, M D Hourihan*
803 Sodium valproate for tinnitus *D B Menkes, P M Larson*
803 Audible carotid dissection *R E Bartt*
803 Gynaecomastia in association with phenytoin and zonisamide in a patient having a CYP2C subfamily mutation *A Ikeda, H Hattori, A Odani, J Kimura, H Shibasaki*

Correspondence

804 Neuropsychological prediction of dementia in Parkinson's disease *T A Hughes, L Read, R H S Mindham*
805 Reply by *F Mahieux, G Fénelon, A Fahault*
805 Repeated syncopes and extended paediatric hydrosyringomyelia/Chiari I malformation *M Nogues*
805 Reply by *J Woelfle, F Haverkamp*
805 **Book reviews**

Neurological pictures

669 Subependymal thalamic haemorrhage due to a thalamoperforating artery aneurysm *J D Kownacki, L Remonda, N Godoy, J K Krauss*
702 Dorsolateral pontine segmental infarction presenting as isolated trigeminal sensory neuropathy *K Ishii, A Tamaoka, S Shoji*

Historical note

728 Early days of the tuning fork *J M S Pearce*

Neurological stamp

766 Hermann von Helmholtz (1821–94) *L F Haas*

No 6 DECEMBER 1998

Page

Editorial commentaries

807 Subacute combined degeneration *P K Thomas*

808 Oscillopsia: impaired vision during motion in the absence of the vestibulo-ocular reflex *R J Leigh*

809 Neuropsychiatric sequelae one year after a minor head injury *S Fleminger*

Review: Neurology and medicine

810 Neurology and the kidney *D J Burn, D Bates*

Papers

822 Subacute combined degeneration: clinical, electrophysiological, and magnetic resonance imaging findings *B Hemmer, F X Glocker, M Schumacher, G Deuschl, C H Lücking*

828 Oscillopsia: visual function during motion in the absence of vestibulo-ocular reflex *A B Morland, A M Bronstein, K H Ruddock, D S Wooding*

836 Creutzfeldt-Jakob disease in Sweden *P O Lundberg*

842 Geographical epidemiology of residence of patients with motor neuron disease in Lancashire and south Cumbria *J D Mitchell, A C Gatrell, A Al-Hamad, R B Davies, G Batterby*

848 Clinical and electrophysiological evaluation of dysphagia in myasthenia gravis *C Ertekin, N Yüceyar, İ Aydoğdu*

857 Morvan's fibrillary chorea: a paraneoplastic manifestation of thymoma *E K Lee, R A Maselli, W G Ellis, M A Agius*

863 The structural and functional mechanisms of motor recovery: complementary use of diffusion tensor and functional magnetic resonance imaging in a traumatic injury of the internal capsule *D J Werring, C A Clark, G J Barker, D H Miller, G J M Parker, M J Brammer, E T Bullmore, V P Giampietro, A J Thompson*

870 Cognitive effects of pituitary tumours and their treatments: two case studies and an investigation of 90 patients *E M Guinan, C Lowy, N Stanhope, P D R Lewis, M D Kopelman*

877 Sex and relationship dysfunction in neurological disability *B J Chandler, S Brown*

881 Dementia and aphasia in motor neuron disease: an underrecognised association? *W P Rakowicz, J R Hodges*

890 Forgetting rates in neuropsychiatric disorders *P Lewis, M D Kopelman*

899 Neuropsychiatric sequelae one year after a minor head injury *S Deb, I Lyons, C Koutzoukis*

903 Selective sparing of topographical memory *E A Maguire, L Cipolotti*

Short reports

910 Sex differences in patients with mesial temporal lobe epilepsy *I Savic, J Engel Jr*

913 Regional metabolism: associations with dyscalculia in Alzheimer's disease *N Hirono, E Mori, K Ishii, T Imamura, T Shimomura, S Tanimukai, H Kazui, M Hashimoto, H Yamashita, M Sasaki*

917 Case report of unusual leukoencephalopathy preceding primary CNS lymphoma *K Brecher, F H Hochberg, D N Louis, S de la Monte, P Riskind*

921 Time resolution for visual information processing in Parkinson's disease *E Méndez, M Sabaté, P García-Baez, C Santana, M Rodríguez*

924 Depletion of neutralising antibodies resensitises a secondary non-responder to botulinum A neurotoxin *M Naumann, K V Toyka, B M Taleghani, J Ahmadpour, K Reiners, H Bigalke*

928 Psychological associations with emotionalism after stroke *T Calvert, P Knapp, A House*

930 Jugular venous and arterial concentrations of serum S-100B protein in patients with severe head injury: a pilot study *A Raabe, D K Menon, S Gupta, M Czosnyka, J D Pickard*

Clinicopathological case conference

933 Behavioural disturbance and visual hallucinations in a 78 year old man *D W Schultz, G G Lennox, J W Ironside, C P Warlow*

Lesson of the month

939 Metastatic choriocarcinoma presenting as multiple intracerebral haemorrhages: the role of imaging in the elucidation of the pathology *D Kidd, G T Plant, F Scaravilli, A C E McCartney, M Stanford, E M Graham*

Cochrane review summary

942 Systematic review of antifibrinolytic treatment in aneurysmal subarachnoid haemorrhage *Y B W E M Roos, M Vermeulen, G J E Rinkel, A Algra, J Van Gijn*

Neurological pictures

944 Wallerian degeneration of the pyramidal tract after a thrombotic stroke *D G Rao, P R Lyons*

945 High resolution magnetic resonance imaging in peripheral vestibular dysfunction in multiple sclerosis *A Gass, W Steinke, A Schwartz, M G Hennerici*

946 Vertebral aneurysm due to isolated spontaneous dissection of the intracranial vertebral artery *P J Martin, T P Enevoldson*

Letters

947 A novel de novo point mutation in the GTP cyclohydrolase I gene in a Japanese patient with hereditary progressive and dopa responsive dystonia *R Sasaki, Y Naito, S Kuzuhara*

947 Central nervous system involvement in four patients with Charcot-Marie-Tooth disease with connexin 32 extracellular mutations *M Panas, C Karadimas, D Avramopoulos, D Vassilopoulos*

948 Lack of mutation G209A in the α-synuclein gene in French patients with familial and sporadic Parkinson's disease *G Lucotte, G Mercier, J C Turpin*

949 Resolution of extensive spinal epidural haematoma with conservative treatment *R Kumar, C Gerber*

950 Flail arm syndrome: a distinctive variant of amyotrophic lateral sclerosis *M T M Hu, C M Ellis, A Al-Chalabi, P N Leigh, C E Shaw*

951 Multifocal cortical myoclonus and cerebral amyloid β-peptide angiopathy *A J Larner, P Elkington, H Mehta, C d'Arrigo, F Scaravilli, P Rudge*

952 Antiganglioside antibodies in various episodes in a patient with recurrent Guillain-Barré syndrome *Y Tagawa, N Yuki, K Hirata*

953 Urinary retention associated with a unilateral lesion in the dorsolateral tegmentum of the rostral pons *A Komiyama, A Kubota, H Hidai*

954 Splicing of the glutamate transporter EAAT2: a candidate gene of amyotrophic lateral sclerosis *T Meyer, C Münch, S Liebau, A Fromm, B Schwalenstöcker, H Völkel, A C Ludolph*

954 Lhermitte's sign in cavernous angioma of the cervical spinal cord *D K Murphy, J A Gutrecht*

955 Autosomal dominant paroxysmal kinesigenic choreoathetosis: a clinical and genetic study of two families *F Picard, J Tassin, M Vidailhet, C Marescaux, Y Agid, A Brice*

956 Granulomatous angiitis of the CNS causing spontaneous intracerebral haemorrhage: the importance of leptomeningeal biopsy *M Hunn, S Robinson, L Wakefield, S Mossman, D Abernethy*

957 Intravesical atropine suppression of detrusor hyperreflexia in multiple sclerosis *C Deaney, S Glickman, T Gluck, J G Malone-Lee*

958 Prothrombotic mutations and ischaemic stroke at a young age in two sisters *J Haan, G G Schoonman, G M Terwindt, M D Ferrari, R M Bertina, L J Kappelle*

959 **Book reviews**

Correction

962 Edwards AD, Patel J, Azzopardi D. Prevention of acquired neurological impairment in the perinatal period. *J Neurol Neurosurg Psychiatry* 1997;**63 (Supplement 1)**:S34–S38

Neurological stamp

916 Jean Baptiste van Helmont (1577–1644) *L F Haas*

963 Volumes 64 and 65. Assessors

964 Volumes 64 and 65. Reviewers

965 Index to volume 65

Contents of volume 65